

pH/Conductivity with TDS or Temperature Meter

Exclusive Oyster Design can be used in the lab or in the field

Features:

- 0.5" LCD built into adjustable "flip-up" cover
- Front panel slope, calibration and temperature controls
- Rugged design for handheld or benchtop use; neckstrap for "hands-free" operation
- pH range 0.01 to 14.00pH with accuracy of 0.02pH and 0.01pH resolution; Conductivity range 10 to 19,990 μ S/cm with accuracy of 0.5%
- Manually temperature compensated (0 to 100°C)
- Dimensions/Weight: 3.7 x 4.2 x 2" (96x108x45mm) / 12oz (340g)

pH/Conductivity/Temperature Meter Kit

- Also measures Temperature from -30 to 105°C
- Complete with mini pH electrode, sample buffers, choice of glass or polymer conductivity cell, stainless steel temp probe, 9V battery, neckstrap and case

Ordering Information:

- 34145A**pH/Conductivity Plus Temperature Meter only
- 341450-P**pH/Conductivity Plus Temperature Kit (polymer cell)
- 341450**pH/Conductivity Plus Temperature Kit (glass cell)

pH/Conductivity/TDS Meter Kit

- Also measures TDS from 10 to 19,990ppm (mg/L)
- Complete with mini pH electrode, sample buffers, choice of glass or polymer conductivity cell for TDS or Conductivity, 9V battery, neckstrap and case

Ordering Information:

- 34135A**pH/Conductivity Plus TDS Meter only
- 341350-P**pH/Conductivity Plus TDS Kit (polymer cell)
- 341350**pH/Conductivity Plus TDS (glass cell)

